

The **Beaufort** Range



ALUMINIUM

Folding / Sliding Door

Folding / Sliding doors help you to create an open, flexible and modern space for both living and working environments.






Advanced plus
system



www.beaufortsecure.com

Configurations

Available in a range of styles and designs, panels can be stacked inside or outside of the room, to the left, right or split to stack on both sides. Door sets can be manufactured to replace entire walls to maximise your opening space.



Options

- Doors and panels can be used in any configuration, style and design
- All configurations are available in both open-in and open-out options
- Full range of suited hardware available
- Glazing sizing range of 24mm – 36mm
- Available in any single RAL colour or dual colour option

Performance

- High security hinges and locking mechanisms as standard
- Shootbolts top and bottom of the interlocks for enhanced security
- Unique high strength roller design for increased weight capacity
- Dedicated Bottom bogey guide for consistent operation and increased security
- Double Track threshold allowing greater stability
- Door U Value 1.7 w/m² K

Sizing

Minimum Width	Maximum Width
1600mm	6200mm**

Minimum Height	Maximum Height
1600mm	3000mm**

Maximum Sash Weight
100kgs**

Variations
Individual panel width not to exceed 1000mm Panels heights, widths and weights are dependant on style and design. **The sizes detailed above are for guidance only. Please contact the Beaufort technical office for further details.



Tel: 01633 29 40 40 Fax: 01633 29 40 41

Beaufort Secure Design Ltd
25 Queensway Meadows | Newport | NP19 4SQ

www.beaufortsecure.com

